

Oatmeal Stout

KIT INVENTORY

FERMENTABLES

- 6.6 lbs. Traditional Dark Liquid Malt Extract

SPECIALITY GRAINS

- 1.00 lbs. Flaked Oats
- 0.75 lbs. Chocolate Malt
- 0.50 lbs. 2-Row
- 0.25 lbs. Roasted Barley

YEAST

- Safale S-04

OTHER

- 5 oz. Priming Sugar
- Muslin Bag

HOPS + SCHEDULE

- 2 oz. Fuggle (boil for 60 min)

BREWING INFO

EXPECTED O.G.: 1.059

ACTUAL O.G.:

BREW DATE:

NOTES:

BREWING STEPS

- Collect and begin heating 2.5 gallons of water.
- Heat water until it reaches 164° F.
- Pour crushed grain into supplied mesh bag and tie the open end in a knot.
- Steep grains for 60 minutes while maintaining a temperature within 1–2° F of 154° F.
- Increase temperature to near 170° F. Remove grain bag allowing liquid to drain into your kettle and discard.
- Bring water to a boil.
- Once you have reached a boil, remove the kettle from the burner and stir in malt extracts.
- Return wort to heat and bring to a boil.
- As soon as you reach a boil, set a timer for 60 minutes and begin adding hops according to the hop schedule on the left.
- When the 60 minute boil is complete, cool the wort to approximately 100° F as rapidly as possible. Use a wort chiller or place the kettle in an ice bath in your sink.
- While the wort cools, sanitize the fermenting equipment – fermenter, lid or stopper, air lock, funnel, etc— along with the yeast pack and a pair of scissors.
- Fill your primary fermenter with 2 gallons of cold water, then pour in the cooled wort. Leave any thick sludge in the bottom of the kettle.
- Add more cold water as needed to bring the volume to 5 gallons.
- Using a hydrometer, take a gravity reading from a sample of your wort. This should be close to the expected O.G. (original gravity) listed in the Brewing Info section.
- Seal the fermenter and rock back and forth for a few minutes to aerate the wort.
- Add yeast once the temperature of the wort is 78°F or lower. Use the sanitized scissors to cut off a corner of the yeast pack, and carefully pour the yeast into the primary fermenter.
- Add approximately 1 tablespoon of water to the sanitized air lock. Insert the air lock into rubber stopper or lid, and seal the fermenter.
- Move the fermenter to a cool, dark spot. The optimal temperature for this beer is 59-71°F.
- Fermentation should begin within 48 hours and last for up to 2 weeks. During fermentation, a layer of foam will develop on the surface of the beer and you will see bubbles escape through the airlock.

APPROXIMATELY 2 WEEKS LATER

- Sanitize siphoning and bottling equipment. This includes all bottles, caps, tubing, etc.
- Mix 5 oz. Priming Sugar with 16 oz. water and bring solution to boil, cool and add to your bottling bucket.
- Siphon beer into your bottling bucket and mix with the priming sugar solution. Gently stir but do not splash. At this point any extra oxygen can cause off flavors to develop.
- Fill and cap bottles.
- Store bottles at room temperature for 2 weeks.

After 2 weeks the bottles can be stored cold. Pour chilled beer into a clean glass and enjoy!